

Table 7.54A Illicit Drug Use in the Past Month among Females Aged 15 to 44, by Pregnancy Status: Numbers in Thousands, 2002

Drug	Total ¹	PREGNANCY STATUS	
		Pregnant	Not Pregnant
Any Illicit Drug ²	6,168	77	6,064
Marijuana and Hashish	4,479	68	4,387
Cocaine	549	6	539
Crack	131	1	130
Heroin	25	*	25
Hallucinogens	358	5	349
LSD	42	*	42
PCP	14	0	13
Ecstasy	216	1	213
Inhalants	126	0	125
Nonmedical Use of Any Psychotherapeutic ³	2,313	20	2,288
Pain Relievers	1,567	10	1,552
Tranquilizers	685	8	677
Stimulants	486	3	480
Methamphetamine	217	0	214
Sedatives	142	0	142
Any Illicit Drug Other Than Marijuana ²	2,933	23	2,900

*Low precision; no estimate reported.

¹ Estimates in the total column are for all females aged 15 to 44, including those with unknown pregnancy status.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 7.54B Illicit Drug Use in the Past Month among Females Aged 15 to 44, by Pregnancy Status: Percentages, 2002

Drug	Total ¹	PREGNANCY STATUS	
		Pregnant	Not Pregnant
Any Illicit Drug ²	10.0	3.3	10.3
Marijuana and Hashish	7.3	2.9	7.4
Cocaine	0.9	0.3	0.9
Crack	0.2	0.0	0.2
Heroin	0.0	*	0.0
Hallucinogens	0.6	0.2	0.6
LSD	0.1	*	0.1
PCP	0.0	0.0	0.0
Ecstasy	0.4	0.0	0.4
Inhalants	0.2	0.0	0.2
Nonmedical Use of Any Psychotherapeutic ³	3.7	0.8	3.9
Pain Relievers	2.5	0.4	2.6
Tranquilizers	1.1	0.4	1.1
Stimulants	0.8	0.1	0.8
Methamphetamine	0.4	0.0	0.4
Sedatives	0.2	0.0	0.2
Any Illicit Drug Other Than Marijuana ²	4.8	1.0	4.9

*Low precision; no estimate reported.

¹ Estimates in the total column are for all females aged 15 to 44, including those with unknown pregnancy status.

² Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically. Any Illicit Drug Other Than Marijuana includes cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

³ Nonmedical use of any prescription-type pain reliever, tranquilizer, stimulant, or sedative; does not include over-the-counter drugs.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

**Table 7.55A Any Illicit Drug Use in the Past Month among Females Aged 15 to 44, by Pregnancy Status and Demographic Characteristics:
Numbers in Thousands, 2002**

Demographic Characteristic	Total ¹	PREGNANCY STATUS	
		Pregnant	Not Pregnant
TOTAL	6,168	77	6,064
AGE			
15-17	961	*	948
18-25	2,540	63	2,459
26-44	2,667	7	2,658
HISPANIC ORIGIN AND RACE			
Not Hispanic or Latino	5,506	69	5,411
White	4,479	50	4,414
Black or African American	737	18	709
American Indian or Alaska Native	58	*	56
Native Hawaiian or Other Pacific Islander	*	*	*
Asian	126	*	126
Two or More Races	83	*	81
Hispanic or Latino	662	8	654
TRIMESTER²			
First	N/A	36	N/A
Second	N/A	24	N/A
Third	N/A	15	N/A

*Low precision; no estimate reported.

N/A: Not applicable.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

¹ Estimates in the total column are for all females aged 15 to 44, including those with unknown pregnancy status.

² Pregnant females aged 15 to 44 not reporting trimester were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 7.55B Any Illicit Drug Use in the Past Month among Females Aged 15 to 44, by Pregnancy Status and Demographic Characteristics: Percentages, 2002

Demographic Characteristic	Total ¹	PREGNANCY STATUS	
		Pregnant	Not Pregnant
TOTAL	10.0	3.3	10.3
AGE			
15-17	16.2	*	16.3
18-25	16.4	6.6	17.0
26-44	6.6	0.5	6.8
HISPANIC ORIGIN AND RACE			
Not Hispanic or Latino	10.5	3.7	10.7
White	11.2	3.6	11.5
Black or African American	8.9	6.2	8.9
American Indian or Alaska Native	13.8	*	14.1
Native Hawaiian or Other Pacific Islander	*	*	*
Asian	4.3	*	4.5
Two or More Races	13.6	*	14.3
Hispanic or Latino	7.1	1.7	7.5
TRIMESTER²			
First	N/A	5.7	N/A
Second	N/A	2.4	N/A
Third	N/A	2.1	N/A

*Low precision; no estimate reported.

N/A: Not applicable.

NOTE: Any Illicit Drug includes marijuana/hashish, cocaine (including crack), heroin, hallucinogens, inhalants, or any prescription-type psychotherapeutic used nonmedically.

¹ Estimates in the total column are for all females aged 15 to 44, including those with unknown pregnancy status.

² Pregnant females aged 15 to 44 not reporting trimester were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 7.56A Marijuana Use in the Past Month among Females Aged 15 to 44, by Pregnancy Status and Demographic Characteristics: Numbers in Thousands, 2002

Demographic Characteristic	Total ¹	PREGNANCY STATUS	
		Pregnant	Not Pregnant
TOTAL	4,479	68	4,387
AGE			
15-17	714	*	703
18-25	2,113	54	2,042
26-44	1,651	7	1,642
HISPANIC ORIGIN AND RACE			
Not Hispanic or Latino	4,075	61	3,990
White	3,352	43	3,295
Black or African American	524	18	496
American Indian or Alaska Native	38	*	38
Native Hawaiian or Other Pacific Islander	8	*	*
Asian	84	*	84
Two or More Races	70	*	68
Hispanic or Latino	404	7	397
TRIMESTER²			
First	N/A	35	N/A
Second	N/A	19	N/A
Third	N/A	12	N/A

*Low precision; no estimate reported.

N/A: Not applicable.

¹ Estimates in the total column are for all females aged 15 to 44, including those with unknown pregnancy status.

² Pregnant females aged 15 to 44 not reporting trimester were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 7.56B Marijuana Use in the Past Month among Females Aged 15 to 44, by Pregnancy Status and Demographic Characteristics: Percentages, 2002

Demographic Characteristic	Total ¹	PREGNANCY STATUS	
		Pregnant	Not Pregnant
TOTAL	7.3	2.9	7.4
AGE			
15-17	12.0	*	12.1
18-25	13.6	5.7	14.1
26-44	4.1	0.5	4.2
HISPANIC ORIGIN AND RACE			
Not Hispanic or Latino	7.8	3.3	7.9
White	8.4	3.1	8.6
Black or African American	6.3	6.2	6.3
American Indian or Alaska Native	9.1	*	9.6
Native Hawaiian or Other Pacific Islander	3.4	*	*
Asian	2.9	*	3.0
Two or More Races	11.4	*	12.0
Hispanic or Latino	4.4	1.4	4.5
TRIMESTER²			
First	N/A	5.5	N/A
Second	N/A	1.9	N/A
Third	N/A	1.7	N/A

*Low precision; no estimate reported.

N/A: Not applicable.

¹ Estimates in the total column are for all females aged 15 to 44, including those with unknown pregnancy status.

² Pregnant females aged 15 to 44 not reporting trimester were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 7.57A Tobacco and Alcohol Use in the Past Month among Females Aged 15 to 44, by Pregnancy Status: Numbers in Thousands, 2002

Drug	Total ¹	PREGNANCY STATUS	
		Pregnant	Not Pregnant
Any Tobacco ²	19,500	424	19,015
Cigarettes	18,878	405	18,413
Smokeless Tobacco	221	11	211
Cigars	1,794	27	1,764
Pipes	181	5	176
Alcohol	31,953	213	31,615
Binge Alcohol Use ³	13,939	74	13,823
Heavy Alcohol Use ³	2,946	16	2,925

*Low precision; no estimate reported.

¹ Estimates in the total column are for all females aged 15 to 44, including those with unknown pregnancy status.

² Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all Heavy Alcohol Users are also Binge Alcohol Users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 7.57B Tobacco and Alcohol Use in the Past Month among Females Aged 15 to 44, by Pregnancy Status: Percentages, 2002

Drug	Total ¹	PREGNANCY STATUS	
		Pregnant	Not Pregnant
Any Tobacco ²	31.6	18.1	32.1
Cigarettes	30.6	17.3	31.1
Smokeless Tobacco	0.4	0.4	0.4
Cigars	2.9	1.2	3.0
Pipes	0.3	0.2	0.3
Alcohol	51.8	9.1	53.4
Binge Alcohol Use ³	22.6	3.1	23.4
Heavy Alcohol Use ³	4.8	0.7	4.9

*Low precision; no estimate reported.

¹ Estimates in the total column are for all females aged 15 to 44, including those with unknown pregnancy status.

² Any Tobacco product includes cigarettes, smokeless tobacco (i.e., chewing tobacco or snuff), cigars, or pipe tobacco.

³ Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days. Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion on each of 5 or more days in the past 30 days; all Heavy Alcohol Users are also Binge Alcohol Users.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

30807

Table 7.58A Cigarette Use in the Past Month among Females Aged 15 to 44, by Pregnancy Status and Demographic Characteristics: Numbers in Thousands, 2002

Demographic Characteristic	Total ¹	PREGNANCY STATUS	
		Pregnant	Not Pregnant
TOTAL	18,878	405	18,413
AGE			
15-17	1,297	*	1,268
18-25	5,753	251	5,475
26-44	11,828	133	11,671
HISPANIC ORIGIN AND RACE			
Not Hispanic or Latino	17,188	376	16,762
White	14,220	337	13,845
Black or African American	2,037	21	2,007
American Indian or Alaska Native	191	*	189
Native Hawaiian or Other Pacific Islander	*	*	*
Asian	458	*	456
Two or More Races	213	*	200
Hispanic or Latino	1,690	29	1,651
TRIMESTER²			
First	N/A	139	N/A
Second	N/A	164	N/A
Third	N/A	98	N/A

*Low precision; no estimate reported.

N/A: Not applicable.

¹ Estimates in the total column are for all females aged 15 to 44, including those with unknown pregnancy status.² Pregnant females aged 15 to 44 not reporting trimester were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

30807

Table 7.58B Cigarette Use in the Past Month among Females Aged 15 to 44, by Pregnancy Status and Demographic Characteristics: Percentages, 2002

Demographic Characteristic	Total ¹	PREGNANCY STATUS	
		Pregnant	Not Pregnant
TOTAL	30.6	17.3	31.1
AGE			
15-17	21.9	*	21.8
18-25	37.1	26.4	37.8
26-44	29.4	10.2	30.0
HISPANIC ORIGIN AND RACE			
Not Hispanic or Latino	32.8	20.2	33.3
White	35.6	24.1	36.0
Black or African American	24.7	7.3	25.3
American Indian or Alaska Native	45.5	*	47.5
Native Hawaiian or Other Pacific Islander	*	*	*
Asian	15.6	*	16.4
Two or More Races	34.9	*	35.0
Hispanic or Latino	18.2	6.0	18.8
TRIMESTER²			
First	N/A	21.9	N/A
Second	N/A	16.4	N/A
Third	N/A	14.0	N/A

*Low precision; no estimate reported.

N/A: Not applicable.

¹ Estimates in the total column are for all females aged 15 to 44, including those with unknown pregnancy status.² Pregnant females aged 15 to 44 not reporting trimester were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 7.59A Alcohol Use in the Past Month among Females Aged 15 to 44, by Pregnancy Status and Demographic Characteristics: Numbers in Thousands, 2002

Demographic Characteristic	Total ¹	PREGNANCY STATUS	
		Pregnant	Not Pregnant
TOTAL	31,953	213	31,615
AGE			
15-17	1,682	*	1,665
18-25	8,630	95	8,503
26-44	21,640	109	21,446
HISPANIC ORIGIN AND RACE			
Not Hispanic or Latino	28,423	183	28,118
White	23,207	160	22,974
Black or African American	3,490	14	3,462
American Indian or Alaska Native	219	*	214
Native Hawaiian or Other Pacific Islander	*	*	*
Asian	1,089	*	1,057
Two or More Races	331	*	324
Hispanic or Latino	3,530	31	3,497
TRIMESTER²			
First	N/A	109	N/A
Second	N/A	66	N/A
Third	N/A	37	N/A

*Low precision; no estimate reported.

N/A: Not applicable.

¹ Estimates in the total column are for all females aged 15 to 44, including those with unknown pregnancy status.

² Pregnant females aged 15 to 44 not reporting trimester were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

30807

Table 7.59B Alcohol Use in the Past Month among Females Aged 15 to 44, by Pregnancy Status and Demographic Characteristics: Percentages, 2002

Demographic Characteristic	Total ¹	PREGNANCY STATUS	
		Pregnant	Not Pregnant
TOTAL	51.8	9.1	53.4
AGE			
15-17	28.4	*	28.6
18-25	55.7	10.0	58.7
26-44	53.7	8.3	55.2
HISPANIC ORIGIN AND RACE			
Not Hispanic or Latino	54.2	9.8	55.8
White	58.0	11.5	59.7
Black or African American	42.3	4.9	43.6
American Indian or Alaska Native	52.0	*	53.8
Native Hawaiian or Other Pacific Islander	*	*	*
Asian	37.2	*	38.1
Two or More Races	54.2	*	56.8
Hispanic or Latino	38.0	6.3	39.9
TRIMESTER²			
First	N/A	17.3	N/A
Second	N/A	6.6	N/A
Third	N/A	5.3	N/A

*Low precision; no estimate reported.

N/A: Not applicable.

¹ Estimates in the total column are for all females aged 15 to 44, including those with unknown pregnancy status.² Pregnant females aged 15 to 44 not reporting trimester were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 7.60A Binge Alcohol Use in the Past Month among Females Aged 15 to 44, by Pregnancy Status and Demographic Characteristics: Numbers in Thousands, 2002

Demographic Characteristic	Total ¹	PREGNANCY STATUS	
		Pregnant	Not Pregnant
TOTAL	13,939	74	13,823
AGE			
15-17	971	*	961
18-25	4,911	42	4,847
26-44	8,056	27	8,016
HISPANIC ORIGIN AND RACE			
Not Hispanic or Latino	12,276	60	12,176
White	10,070	45	9,999
Black or African American	1,578	8	1,558
American Indian or Alaska Native	144	*	139
Native Hawaiian or Other Pacific Islander	*	*	*
Asian	277	*	275
Two or More Races	144	*	141
Hispanic or Latino	1,662	14	1,647
TRIMESTER²			
First	N/A	56	N/A
Second	N/A	15	N/A
Third	N/A	1	N/A

*Low precision; no estimate reported.

N/A: Not applicable.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

¹ Estimates in the total column are for all females aged 15 to 44, including those with unknown pregnancy status.

² Pregnant females aged 15 to 44 not reporting trimester were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 7.60B Binge Alcohol Use in the Past Month among Females Aged 15 to 44, by Pregnancy Status and Demographic Characteristics: Percentages, 2002

Demographic Characteristic	Total ¹	PREGNANCY STATUS	
		Pregnant	Not Pregnant
TOTAL	22.6	3.1	23.4
AGE			
15-17	16.4	*	16.5
18-25	31.7	4.4	33.5
26-44	20.0	2.1	20.6
HISPANIC ORIGIN AND RACE			
Not Hispanic or Latino	23.4	3.2	24.2
White	25.2	3.2	26.0
Black or African American	19.1	2.8	19.6
American Indian or Alaska Native	34.2	*	35.0
Native Hawaiian or Other Pacific Islander	*	*	*
Asian	9.5	*	9.9
Two or More Races	23.6	*	24.7
Hispanic or Latino	17.9	2.8	18.8
TRIMESTER²			
First	N/A	8.9	N/A
Second	N/A	1.5	N/A
Third	N/A	0.2	N/A

*Low precision; no estimate reported.

N/A: Not applicable.

NOTE: Binge Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on at least 1 day in the past 30 days.

¹ Estimates in the total column are for all females aged 15 to 44, including those with unknown pregnancy status.

² Pregnant females aged 15 to 44 not reporting trimester were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 7.61A Heavy Alcohol Use in the Past Month among Females Aged 15 to 44, by Pregnancy Status and Demographic Characteristics: Numbers in Thousands, 2002

Demographic Characteristic	Total ¹	PREGNANCY STATUS	
		Pregnant	Not Pregnant
TOTAL	2,946	16	2,925
AGE			
15-17	191	*	188
18-25	1,343	7	1,333
26-44	1,413	*	1,405
HISPANIC ORIGIN AND RACE			
Not Hispanic or Latino	2,727	16	2,706
White	2,340	11	2,327
Black or African American	243	3	236
American Indian or Alaska Native	22	*	22
Native Hawaiian or Other Pacific Islander	15	*	*
Asian	73	*	73
Two or More Races	34	*	32
Hispanic or Latino	220	*	220
TRIMESTER²			
First	N/A	7	N/A
Second	N/A	*	N/A
Third	N/A	1	N/A

*Low precision; no estimate reported.

N/A: Not applicable.

NOTE: Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on each of 5 or more days in the past 30 days.

¹ Estimates in the total column are for all females aged 15 to 44, including those with unknown pregnancy status.

² Pregnant females aged 15 to 44 not reporting trimester were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.

Table 7.61B Heavy Alcohol Use in the Past Month among Females Aged 15 to 44, by Pregnancy Status and Demographic Characteristics: Percentages, 2002

Demographic Characteristic	Total ¹	PREGNANCY STATUS	
		Pregnant	Not Pregnant
TOTAL	4.8	0.7	4.9
AGE			
15-17	3.2	*	3.2
18-25	8.7	0.8	9.2
26-44	3.5	*	3.6
HISPANIC ORIGIN AND RACE			
Not Hispanic or Latino	5.2	0.8	5.4
White	5.8	0.8	6.0
Black or African American	2.9	1.0	3.0
American Indian or Alaska Native	5.2	*	5.5
Native Hawaiian or Other Pacific Islander	6.6	*	*
Asian	2.5	*	2.6
Two or More Races	5.6	*	5.7
Hispanic or Latino	2.4	*	2.5
TRIMESTER²			
First	N/A	1.1	N/A
Second	N/A	*	N/A
Third	N/A	0.2	N/A

*Low precision; no estimate reported.

N/A: Not applicable.

NOTE: Heavy Alcohol Use is defined as drinking five or more drinks on the same occasion (i.e., at the same time or within a couple of hours of each other) on each of 5 or more days in the past 30 days.

¹ Estimates in the total column are for all females aged 15 to 44, including those with unknown pregnancy status.

² Pregnant females aged 15 to 44 not reporting trimester were excluded.

Source: SAMHSA, Office of Applied Studies, National Survey on Drug Use and Health, 2002.